

OREGON/TEXAS'S APPROVED EAST COAST EROSION PRODUCTS

Approved Products	CLASS 1 – SLOPE PROTECTION	Approval Date	Recertification Date
Type A – Slopes 3:1 or Flatter – CLAY Soils			
ECS-1	Type A	N\A	N\A
ECS-2	Type A	N\A	N\A
Type B – Slopes 3:1 Flatter – SANDY Soils			
ECS-1	Type B	N\A	N\A
ECS-2	Type B	N\A	N\A
Type C – Slopes Steeper than 3:1 CLAY Soils			
ECS-2	Type C	N\A	N\A
Type D – Slopes Steeper than 3:1 CLAY Soils			
ECS-2	Type D	N\A	N\A
Approved Products	CLASS 2 – FLEXIBLE CHANNEL LINER	Approval Date	Recertification Date
Type E – Shear Stress Range 0 – 96 Pascal (0 - 2 Pounds Per Square Foot)			
ECC-3 Coconut TRM	Type E	N\A	N\A
ECP-2 10 oz. Polypropylene TRM	Type E	N\A	N\A
ECP-3	Type E	N\A	N\A
ECSC-3 Straw/Coconut TRM	Type E	N\A	N\A
Type F – Shear Stress Range 0 – 192 Pascal (0 - 4 Pounds Per Square Foot)			
ECC-3 Coconut TRM	Type F	N\A	N\A
ECP-2 10 oz. Polypropylene TRM	Type F	N\A	N\A
ECP-3	Type F	N\A	N\A
ECSC-3 Straw/Coconut TRM	Type F	N\A	N\A

OREGON/TEXAS'S APPROVED EAST COAST EROSION PRODUCTS

Type G – Shear Stress Range 0 – 287 Pascal (0 -6 Pounds Per Square Foot)			
ECC-3 Coconut TRM	Type G	N\A	N\A
ECP-2 10 oz. Polypropylene TRM	Type G	N\A	N\A
ECP-3	Type G	N\A	N\A
ECSC-3 Straw/Coconut TRM	Type G	N\A	N\A
Type H – Shear Stress Range 0 – 383 Pascal (0 - 8 Pounds Per Square Foot)			
ECC-3 Coconut TRM	Type H	N\A	N\A
ECP-2 10 oz. Polypropylene TRM	Type H	N\A	N\A
ECP-3	Type H	N\A	N\A
ECSC-3 Straw/Coconut TRM	Type H	N\A	N\A